Republic of Serbia
Ministry of Agriculture,
Forestry and Water Management
Plant Protection Directorate
Omladinskih brigada 1
Belgrade
Nr: 004672664 2026
14842 002 000 000 001
Date: October 20th, 2026

To: **Mr. Vadym CHAIKOVSKYI**
Deputy Head
Chief State Phytosanitary Inspector of Ukraine

SUBJECT: The import requirements of the Republic of Serbia for the consignments of ware potato originating in Ukraine

Dear Mr. Vadym CHAIKOVSKYI,

The Plant Protection Directorate of the Ministry of Agriculture, Forestry and Water Management of the Republic of Serbia, as NPPO of the Republic of Serbia, present its compliments to the State Service of Ukraine on Food Safety and Consumer Protection (SSUFSCP).

In response to your Letter No. 13.1-1/22991, dated 02.10.2026, we are pleased to provide the requested information on Serbian import requirements for ware potatoes originating in Ukraine.

The list of harmful organisms with quarantine status for the Republic of Serbia and phytosanitary import requirements are prescribed in the Rulebook on lists of harmful organisms and lists of plants, plant products and regulated objects ("Official gazette RS", No. 7/2010, 22/2012 and 57/2015). Please find attached mentioned Rulebook. In addition to this, there are specific import requirements prescribed in separate by-laws on emergency measures for prevention of introduction and spread of specific harmful organisms.

For your convenience, attached to the Letter we are sending the requested phytosanitary import requirements for the consignment of ware potatoes originating in Ukraine that should be fulfilled and mentioned in the Phytosanitary Certificate as an Additional Declaration, together with the list of harmful organisms related to the product. At the border crossing, the phytosanitary inspection and sampling for laboratory analysis on the presence of regulated pests will be carried out (for the presence of *Clavibacter michiganensis* ssp. *sepedonicus* and *Ralstonia solanacearum* 100% of lots are tested).

We would also like to note that, since the mentioned product is intended for human consumption, during the import procedure, besides phytosanitary control, it will be subject to quality and food safety control.

The product must meet the conditions prescribed in the Rulebook on maximum permitted quantities of residues of plant protection products in food and feed (Official Gazette of the RS no. 13/2026 and 75/2026) and the conditions according to the Rulebook on maximum concentrations of certain contaminants in food ("Official Gazette of RS", no.73/2024, 90/2024, 47/2025, 61/2025 and 103/2025).

In accordance with the Rulebook on the quality of fruits, vegetables and mushrooms, the declaration should contain the information on product name and variety, the name and address of company/producer, year of production, expiration date and year of harvest, quality category (class) and product caliber.

Regarding question for conditions for the transit through EU countries, we are not competent for that issue.

For any additional information, we are at your disposal.

Dear Mr. Vadym CHAIKOVSKYI, please accept the assurances of my highest consideration.

Yours sincerely,

Nebojša Milosavljević
DIRECTOR OF PLANT PROTECTION DIRECTORATE

ANNEX I

Special phytosanitary import requirements of the Republic of Serbia for the consignments of **tubers of *Solanum tuberosum* L. not intended for planting - ware potatoes, originate in Ukraine** that must be fulfilled and mentioned as Additional declaration on the Phytosanitary Certificate:

25.1. Tubers of *Solanum tuberosum* L.	Without prejudice to the prohibitions applicable to the tubers listed in Annex III(A)(10), (11) and (12), official statement that: (a) the tubers originate in areas known to be free from *Synchytrium endobioticum* (Schilbersky) Percival, and no symptoms of *Synchytrium endobioticum* (Schilbersky) Percival have been observed either at the place of production or in its immediate vicinity;
25.2. Tubers of *Solanum tuberosum* L.	Without prejudice to the provisions listed in Annex III (A)(10), (11) and (12) and Annex IV(A)(I)(25.1), official statement that: (a) the tubers originate in areas known to be free from *Clavibacter michiganensis* ssp. *sepedonicus* (Spieckermann and Kotthoff) Davis *et al.*
25.3. Tubers of *Solanum tuberosum* L., originating in countries where Potato spindle tuber viroid is known to occur	Without prejudice to the provisions applicable to the tubers listed in Annex III(A)(10), (11) and (12) and Annex IV(A)(I)(25.1) and (25.2), official statement that tubers have been inspected and found free from Potato tuber spindle viroid
25.4.1. Tubers of *Solanum tuberosum* L., other than those intended for planting	Without prejudice to the provisions applicable to tubers listed in Annex III(A)(12) and Annex IV(A)(I)(25.1), (25.2) and (25.3), official statement that the tubers originate in areas in which *Pseudomonas solanacearum* (Smith) Smith is not known to occur
25.4.2. Tubers of *Solanum tuberosum* L.	Without prejudice to the provisions applicable to tubers listed in Annex III(A)(10), (11) and (12) and Annex IV(A)(I)(25.1), (25.2), (25.3), (25.4) and (25.4.1), official statement that: (a) the tubers originate in a country where *Scrobipalpopsis solanivora* Povolny is not known to occur; or

	(b) the tubers originate in an area free from *Scrobipalpopsis solanivora* Povolny, established by the national plant protection organization in accordance with relevant International Standards for Phytosanitary Measures.
34. Soil and growing medium, attached to or associated with plants, consisting in whole or in part of soil or solid organic substances such as parts of plants, humus including peat or bark or consisting in part of any solid inorganic substance, intended to sustain the vitality of the plants, originating in: —Turkey, — Belarus, Georgia, Moldova, Russia, Ukraine, — non-European countries	Official statement that: (a) the growing medium, at the time of planting, was: — either free from soil, and organic matter, or — found free from insects and harmful nematodes and subjected to appropriate examination or heat treatment or fumigation to ensure that it was free from other harmful organisms, or — subjected to appropriate heat treatment or fumigation to ensure freedom from harmful organisms, and (b) since planting: — either appropriate measures have been taken to ensure that the growing medium has been maintained free from harmful organisms, or — within two weeks prior to dispatch, the plants were shaken free from the medium leaving the minimum amount necessary to sustain vitality during transport, and, if replanted, the growing medium used for that purpose meets the requirements laid down in (a).

These special requirements must be mentioned on the Phytosanitary Certificate as Additional Declaration either as a text or by referring to appropriate number from the List IV A part I of Rulebook on Lists of harmful organisms and Lists of plants, plants products and regulated objects ("Official gazette RS" 7/2010, 22/2012 and 57/2015).

(Example of possible wording for Additional Declaration: "Consignment complies with the Annex IV A part I of the Rulebook on lists RS, no. 7/2010, 22/2012 and 57/2015, points: 25.1.a; 25.2.a; 25.3.; 25.4.1.; 25.4.2.a; 34.a second line and 34.b first line")

ANNEX I

The other requirements to be met for consignment of ware potatoes are:

The presence of the soil and foreign matter	up to 2% by lot weight
Dry causing agents (eg, *Fusarium* sp., *Phoma* sp.) and wet rot (eg, *Erwinia carotovora*, *Phytium* spp.)	up to 1% by lot weight
Phytophtora infestans	up to 1% by lot weight
Very damaged tubers (frost, insects, truncated, pustule)	up to 3% by lot weight
Streptomyces scabies (tubers with scabs that cover over 1 / 3 of their surface)	up to 5% by lot weight
Rizoctonia solani	up to 10% by for super-elite and elite and up to 25% by lot weight for original and I varietal reproduction

Additionaly, if Ukraine is a country where_*Epitrix cucumeris, Epitrix similaris*, *Epitrix subcrinita* and *Epitrix tuberis* are known to be present, consignment of ware potato should also meet requirements according to Order No. 113/2015. In that case, in full wording, in the rubric Additional declaration of the Phytosanitary Certificate, should be mentioned official statement that:

1) the potato tubers have been grown in a pest-free area established by the national plant protection organisation in accordance with relevant international standards for phytosanitary measures;
The name of the pest- free area shall be mentioned under the heading 'Place of origin'

OR

2) the potato tubers have been washed or brushed so that there is no more than 0,1 % of soil remaining, or have undergone an equivalent method specifically applied in order to achieve the same outcome and remove the specified organisms concerned and to ensure that there is no risk of spreading the specified organisms.

AND

3) the potato tubers have been found free from the specified organisms concerned and from any of their symptoms and do not contain more than 0,1 % of soil in an official examination carried out immediately prior to export;

AND

4) the packaging material in which potato tubers are imported is clean.

If mentioned *Epitrix* species are not present in the Ukraine, there is no obligation for this statement.

ANNEX I

According to the Rulebook on plant health checks ("Sl. list SRJ", No. 66/99 and 13/2002, "Sl. list SCG", No. 10/2003 and 13/2003 and "Sl. glasnik RS", No. 39/2006, 59/2006, 115/2006, 119/2007 and 107/2008), the pests that the consignment of ware potato must be free from during import is given in the following table:

Harmful organism	Method of harm. org. determination in a crop	allowed % for plant and reproductive material					note
		in the crop	in seed (unprocessed)	in seed (processed) before placement on market	in seed placed on market	**in mercantile plant material in trade (ware potato)**	
2.4. POTATO (*Solanum tuberosum*)							
Ralstonia solanacearum	(1)	0	0	0	0	**0**	(1)
Clavibacter michiganensis subsp. *sepedonicus*	(1)	0	0	0	0	**0**	(1)
Globodera pallida and *G. rostochiensis*	(2)	0	-	0	0	**0**	(2)
Meloidogyne falax and *M. chitwoodi*	(3)	0	0	0	0	**0**	(3)
Ditylenchus dipsaci and *D. destructor*	Lot inspection	-	-	0	0	**0**	
Synchitrium endobioticum	(4)	0	0	0	0	**0**	(4)
Erwinia carotovora ssp. *atroseptica*	(5)	2% infected plants for prebasic and basic, and 4% infected	-	-	-	**-**	(5)

ANNEX I

		plants for certified seed I generation (original) and certified seed II generation (I varietal reproduction)					
Potato viruses (economically harmful)	(6)	(6)	(6)	-	(6)	**-**	(6)
Quarantine potato viruses: Andean potato latent virus; Arracha virus B, oca strain; Potato black ringspot virus; Potato virus T	(7)	0	0	0	0	**0**	(7)
Volunteer potato plants	(8)	0	-	-	-	**-**	(8)
Potato tuber spindle viroid	(9)	-	0	0	0	**0**	(9) (17)
Potato stolbur phytoplasm	(10)	0	0	-	-	**-**	(10)
Dry rot and wet rot	(11)	-	-	1	1	**1**	(11) (17)
Blight (Phytophthora infestans)	(12)	5	-	1	1	**1**	(12) (17)
*Common scab Streptomyces scabies**	(13)	-	-	5(crusts affect> 1/3 surface)	5(crusts affect> 1/3 surface)	**5(crusts affect> 1/3 surface)**	(13) (17)
Black scurf (Rhizoctonia solani)	(14)		-	10 (for prebasic and basic seed) and 25 for certified seed I	10 (for prebasic and basic seed) and 25 for certified seed I generation	**10 (for prebasic and basic seed) and 25 for certified seed I**	(14) (17)

ANNEX I

				generation (original) and certified seed II generation (I varietal reproduction)	(original) and certified seed II generation (I varietal reproduction)	**generation (original) and certified seed II generation (I varietal reproduction)**	
Hard tuber damage (frost, insects, cracks, etc.)	(15)	-	-	3	3	**3**	(15) (17)
The presence of soil and other material	(16)	-	-	2	2	**2**	(16) (17)

Неофіційний переклад

Кому: Пан Вадим ЧАЙКОВСЬКИЙ,

заступник головного державного фітосанітарного інспектора України

Тема: Імпортні вимоги Республіки Сербія до вантажів продовольчої картоплі українського походження

Шановний пане Вадиме Чайковський!

Управління із захисту рослин Міністерства сільського, лісового господарства та управління водними ресурсами Республіки Сербія, як Національна організація захисту рослин Республіки Сербія, засвідчує Державній службі України з питань безпечності харчових продуктів та захисту споживачів свою повагу.

У відповідь на Ваш лист від 02.10.2026 № 13.1-1/22991 раді надати запитувану інформацію щодо імпортних вимог Республіки Сербія до продовольчої картоплі українського походження.

Перелік шкідливих організмів, які мають карантинний статус у Республіці Сербія, та фітосанітарні імпортні вимоги визначені Правилами щодо переліків шкідливих організмів та переліків рослин, рослинних продуктів та об'єктів регулювання **(«Офіційний вісник Республіки Сербія», № 7/2010, 22/2012 та 57/2015)**. Зазначені Правила додаються до цього листа. Крім того, окремими підзаконними нормативно-правовими актами про надзвичайні заходи із запобігання занесенню та поширенню певних шкідливих організмів встановлено спеціальні імпортні вимоги.

Для зручності до цього листа додаємо запитувані фітосанітарні імпортні вимоги до вантажів продовольчої картоплі українського походження, яких необхідно дотримуватися та які мають бути зазначені у фітосанітарному сертифікаті у вигляді додаткової декларації, разом із переліком шкідливих організмів, що стосуються зазначеної продукції.

У пункті пропуску через державний кордон здійснюватимуться фітосанітарний контроль та відбір зразків для лабораторних досліджень на наявність регульованих шкідливих організмів. На наявність **кільцевої гнилі** *(Clavibacter michiganensis ssp. Sepedonicus)* та **бурої гнилі картоплі** *(Ralstonia solanacearum)* перевірятимуться 100% партій.

Також хочемо зазначити, що, оскільки вищезазначена продукція призначена для споживання людиною, під час імпорту вона підлягатиме не лише фітосанітарному контролю, а й контролю якості та безпечності харчових продуктів.

Продукція повинна відповідати вимогам Правил щодо максимально допустимих рівнів залишків засобів захисту рослин у харчових продуктах і кормах («Офіційний вісник Республіки Сербія», № 13/2026 та 75/2026), а також вимогам Правил щодо максимальних концентрацій окремих

забруднювальних речовин у харчових продуктах **(«Офіційний вісник Республіки Сербія», № 73/2024, 90/2024, 47/2025, 61/2025 та 103/2025).**

Відповідно до Правил щодо якості фруктів, овочів та грибів **декларація повинна містити інформацію про найменування продукції та її сорт, найменування й адресу компанії/виробника, рік виробництва, кінцевий термін придатності та рік збирання врожаю, категорію якості (клас) і калібр продукції.**

Щодо питання умов транзиту через країни Європейського Союзу повідомляємо, що це питання не належить до нашої компетенції.

У разі необхідності отримання додаткової інформації ми готові її надати.

Шановний пане Вадиме Чайковський, прийміть запевнення у нашій найвищій повазі.

З повагою,
Небойша Мілосавлєвич
Директор Управління із захисту рослин

ДОДАТОК I

25.1. Бульби *Solanum tuberosum* L.	Без упередження щодо заборон, що застосовуються до бульб, перелічених у Додатку III (A)(10), (11) та (12), офіційне підтвердження того, що: (a) бульби походять з територій, які, як відомо, вільні від **раку картоплі** *Synchytrium endobioticum* (Schilbersky) Percival, і ні в місці виробництва, ні в його безпосередній близькості не було виявлено жодних симптомів *Synchytrium endobioticum* (Schilbersky) Percival;
25.2. Бульби *Solanum tuberosum* L.	Без упередження положень, перелічених у Додатку III (A)(10), (11) та (12) і Додатку IV(A)(I)(25.1), офіційне підтвердження того, що: (a) бульби походять з територій, які, як відомо, вільні від **кільцевої гнилі** *Clavibacter michiganersis ssp. sepedonicus* (Spieckermann і Kotthoff) Davis *et al.*
25.3. Бульби *Solanum tuberosum* L., що походять із країн, у яких, як відомо, зустрічається віроїд веретеноподібних бульб картоплі	Без упередження положень, що застосовуються до бульб, перелічених у Додатку III(A)(10), (11) та (12) і Додатку IV(A)(I(25.1) та (25.2)], офіційне підтвердження того, що **бульби були перевірені** та визнані вільними від **віроїду веретеноподібної деформації бульб картоплі** PSTVd
25.4.1. Бульби *Solanum tuberosum* L., крім тих, що призначені для посадки	Без упередження положень, що застосовуються до бульб, перелічених у Додатку III (A)(l2) та Додатку IV (A)(I)(25.), (25.2) і (25.3), офіційне підтвердження того, що бульби походять з територій, на яких, за наявними даними, не зустрічається **бурої гнилі картоплі** *Pseudomonas solanacearum* (Smith) Smith

25.4.2. Бульби *Solanum tuberosum* L.	Без упередження положень, що застосовуються до бульб, перелічених у Додатку III (A)(10), (11) та (12) і Додатку IV (A)(I)(25.1), (25.2), (25.3), (25.4) та (25.4.1), офіційне підтвердження того, що: (a) **бульби походять з країни**, в якій, за наявними даними, не зустрічається **гватемальська міль** *Scrobipalpopsis solanivora* Povolny; або (б) бульби походять з територій, вільних від **гватемальської молі** *Scrobipalpopsis solanivora* Povolny, що було встановлено національною організацією з захисту рослин відповідно до відповідних Міжнародних стандартів фітосанітарних заходів.
34. Ґрунт та субстрат, що прикріплені до рослин або пов'язані з ними, які повністю або частково складаються з ґрунту або твердих органічних речовин, таких як частини рослин, гумус, включаючи торф або кору, або частково складаються з будь-якої твердої неорганічної речовини, призначені для підтримання життєздатності рослин, що походять з: - Туреччини, - Білорусі, Грузії, Молдови, Росії, України, - неєвропейських країн	Офіційне підтвердження того, що: (a) на момент висаджування субстрат: - або не містив ґрунту та органічних речовин, або - був вільний від комах та шкідливих нематод і пройшов відповідну перевірку, термічну обробку або фумігацію для забезпечення відсутності в ньому інших шкідливих організмів, або - пройшли відповідну термічну обробку або фумігацію для забезпечення відсутності шкідливих організмів, та (b) з моменту висадження: - або було вжито відповідних заходів для забезпечення того, щоб субстрат

	залишався вільним від шкідливих організмів, або - протягом двох тижнів до відправлення рослини було очищено від субстрату, залишивши мінімальну кількість, необхідну для збереження життєздатності під час транспортування, і, у разі пересадки, субстрат, використаний для цієї мети, відповідає вимогам, встановленим у пункті (a).

Ці особливі вимоги повинні бути зазначені у фітосанітарному сертифікаті у вигляді додаткової декларації — у текстовій формі або шляхом посилання на відповідний номер із Списку IV A, частина I, Зводу правил щодо списків шкідливих організмів та списків рослин, рослинної продукції та об'єктів, що підлягають регулюванню («Офіційний вісник RS» № 7/2010, 22/2012 та 57/2015).

(Приклад можливого формулювання додаткової декларації: «Вантаж відповідає вимогам Додатка IV A, частина I, до Зводу правил щодо переліків RS, № 7/2010, 22/2012 та 57/2015, пункти: 25.1.a; 25.2.a; 25.3.; 25.4.1.; 25.4.2.a; 34.a, другий рядок, та 34.b, перший рядок»)

ДОДАТОК I

Інші вимоги, які необхідно дотримуватися при відправленні картоплі, призначеної для споживання:

Наявність ґрунту та сторонніх речовин	до 2% за вагою партії
Збудники **сухої гнилі** (наприклад, eg, *Fusarium* sp., *Phoma* sp.) та **бактеріозу** (наприклад, eg, *Erwinia carotovora, Phytium* spp.)	до 1 % від маси партії
Фітофтороз *Phytophtora infestans*	до 1 % від маси партії
Дуже **пошкоджені бульби** (мороз, комахи, обрізані, з пухирями)	до 3 % від маси партії
Парша катоплі *Streptomyces scabies* (бульби з коростками, що покривають понад 1/3 їхньої поверхні)	до 5 % від маси партії
Різоктонія *Rizoctonia solani*	до 10 % за якістю для категорій «супер-еліта» та «еліта» і до 25 % за вагою партії для категорій «оригінальна» та «I» сортового розмноження

Крім того, якщо Україна є країною, в якій, як відомо, зустрічаються **картопляні білішки** *Epitrix cucumeris*, *Epitrix similaris*, *Epitrix subcrinita* та *Epitrix tuberis*, партія товарної картоплі також повинна відповідати вимогам, встановленим Наказом № 113/2015. У такому випадку у розділі «Додаткова декларація» фітосанітарного сертифіката слід навести повний текст офіційного твердження про те, що:

1) бульби картоплі були вирощені на території, вільній від шкідників, визначеній національною організацією з захисту рослин відповідно до відповідних міжнародних стандартів щодо фітосанітарних заходів;

Назва території, вільної від шкідників, має бути вказана у графі «Місце походження»

АБО

2) бульби картоплі були вимиті або очищені щіткою таким чином, щоб залишок ґрунту не перевищував 0,1 %, або пройшли еквівалентну обробку, спеціально застосовану для досягнення того самого результату, усунення зазначених організмів та унеможливлення ризику їх поширення.

ТА

3) бульби картоплі визнано вільними від зазначених організмів та будь-яких їхніх симптомів і не містять;

ТА

4) пакувальний матеріал, у якому імпортуються бульби картоплі, є чистим.

Якщо зазначені види *Epitrix* не зустрічаються в Україні, надання такого підтвердження не є обов'язковим.

ДОДАТОК I

Відповідно до Правил щодо фітосанітарних перевірок («S1. list SRJ», № 66/99 від 13/2002, «Sl. list SCG», № 10/2003 та 13.12.2003, а також «Sl. glasoik RS», № 39/2006, 59/2006, 115/2006, 119/2007 та 107/2008) шкідники, яких не повинна містити партія товарної картоплі під час імпорту, наведені в наступній таблиці:

Шкідливий організм	Метод визначення шкідливого впливу на сільськогосподарські культури	**дозволений відсоток для рослин та репродуктивного матеріалу**					примітка
		у врожаї	у вигляді насіння (непереробленого)	у вигляді насіння (обробленого) до випуску на ринок	у насінні, що вводиться в обіг	у вигляді товарної рослинної сировини, що реалізується на ринку (картопля для споживання)	
Ralstonia solanacearum	(1)	0	0	0	0	**0**	(1)
Clavibacter michiganensis subsp. sepedonicus	(1)	0	0	0	0	**0**	(1)
Globodera pallida and *G. rostochiensis*	(2)	0	-	0	0	**0**	(2)
Meloidogyne falax and *M. chitwoodi*	(3)	0	0	0	0	**0**	(3)
Ditylenchus dipsaci and *D. destructor*	Перевірка партії	-	-	0	0	**0**	
Synchitrium endobioticum	(4)	0	0	0	0	**0**	(4)
Erwinia carotovora ssp. *atroseptica*	(5)	2 % заражених рослин для насіння пребазового та базового рівнів, а також 4 % заражених рослин для	-	-	-	-	(5)

		сертифікованого насіння I покоління (оригінального) та сертифікованого насіння II покоління (I сортового розмноження)					
Potato viruses (economically harmful)	(6)	(6)	(6)	-	(6)	-	(6)
Quarantine potato viruses: Andean potato latent virus; Arracha virus B, oca strain; Potato black ringspot virus; Potato virus T	(7)	0	0	0	0	**0**	(7)
Volunteer potato plants	(8)	0	-	-	-	-	(8)
Potato tuber spindle viroid ***Віроїд веретеноподібної деформації бульб картоплі***	(9)	-	0	0	0	**0**	(9) (17)
Potato stolbur phytoplasm	(10)	0	0	-	-	-	(10)
Dry rot and wet rot ***(суха та мокра гнилі)***	(11)	-	-	1	1	**1**	(11) (17)
Blight (Phytophthora infestans) ***Фітофтороз***	(12)	5	-	1	1	**1**	(12) (17)
Common scab *(Streptomyces scabies*)* ***парша картоплі***	(13)	-	-	5 (пошкодження скоринки > 1/3 поверхні)	5 (пошкодження скоринки > 1/3 поверхні)	**5 (пошкодження скоринки > 1/3 поверхні)**	(13) (17)

Black scurt *(Rhizoctonia solani)* ***Різоктонія***	(14)		-	10 (для насіння попередньобазового та базового сортів) та 25 для сертифікованого насіння I покоління (оригінального) та сертифікованого насіння II покоління (першого сортового розмноження)	10 (для насіння попереднього та базового сортів) та 25 для сертифікованого насіння I покоління (оригінального) та сертифікованого насіння II покоління (I сортове розмноження)	**10 (для насіння попереднобазового та базового сортів) та 25 для сертифікованого насіння I покоління (оригінального) та сертифікованого насіння II покоління (перше сортове розмноження)**	(14) (17)
Hard tuber damage (frost, insects, cracks, etc.) ***Сильне пошкодження бульб***	(15)	-	-	3	3	**3**	(15) (17)
The presence of soil and other material ***Наявність ґрунту та інших матеріалів***	(16)	-	-	2	2	**2**	(16) (17)